Name:		
	SCC #:	

Region VII BLS SMO Study Book April 2016

Use the 2016 SMOs to complete the study book. The SMOs may be found on the Region website under the SMO menu. We are not utilizing a Power Point for this recert.

W	ebsite under the SMO menu. We are not utilizing a Power Point for this recert.
1.	List the 4 parameters which are above the General Patient Assessment Section of Initial Medical Care – Code 1.
2.	Discuss the indication and minimum age for Zofran according to IMC.
3.	Discuss Radio Contact and vital signs as listed in the IMC.
4.	Discuss the criteria for Death/No resuscitation for the adult patient in cardiopulmonary arrest.
5.	Discuss the treatment for suspected cardiac patient with chest pain.

6. Discuss the treatment for pulmonary edema comparing the three blood pressure parameters. 7. Compare and contrast the treatment for VAD / LVAD patients who have device failure or problems with circulation and/or perfusion. 8. Discuss pediatric hemodynamic compromise as evidenced by vital signs (Field triage protocol). 9. List the assessments that should be made in determining whether a patient needs cervical immobilization. 10. Discuss the prehospital treatment of a "Code 26" patient. 11. Discuss the prehospital treatment for an amputated limb and the amputated part.

12. List the 5 P's for assessing a crush injured patient.
13. Discuss the importance of the "W" positioning during treatment and transport.
14. Discuss the prehospital treatment of thermal burns.
15. List a minimum of 5 principles of management for trauma in pregnancy.
16. Discuss the prehospital treatment for an adult with acute asthma.
17. Discuss drug overdose and poisoning treatment.

18. Discuss the treatment for seizures.
19. List the assessments for the Cincinnati Stroke Scale and discuss normal and abnormal findings.
20. Discuss the prehospital treatment of a newborn who has the umbilical cord wrapped around their neck.
21. Discuss the correct documentation for patients who refuse treatment and refuse to sign a release.
22. Explain the procedure for securing a "concealed / carry firearm" on the ambulance.